

MITEL

5215 | IP Phone

Full-featured, Dual-port, Multi-line IP Phone



The dual-port Mitel® 5215 IP Phone is a hands-free IP speakerphone with multi-line backlit display and programmable feature keys. It provides intuitive access to sophisticated call handling and converged applications. It is easily personalized with programmable keys or a web browser-based configuration tool.

Simple Access to Sophisticated Applications

The 5215 IP Phone provides IP functionality with the ease and familiarity of a traditional business phone. User friendly, it features context-sensitive softkeys for feature-set customization and a 40-character backlit LCD display. It is an ideal choice for users that need access to sophisticated system features – such as technical support staff, office workers, sales and customer service departments.

Industry's Widest Range of IP Phones

The 5215 IP Phone is one in a series of IP phones designed to meet the diverse communication needs of users across the enterprise – from affordable entry-level IP phones to sophisticated network appliances. All are designed with ergonomics and modern office aesthetics in mind.

Features*

- Hands-free speakerphone operation (half duplex)
- Dual port 10 / 100 Mb switched Ethernet
- Two-line, 20-character backlit display with contrast control
- Seven programmable multi-function keys with dual color LED indicators for speed dialing, broadcast groups, line appearances, feature access
- Eight function keys, including Hold, Superkey (for feature access), Message Information, Transfer / Conference, Shift, Cancel, Speaker Microphone
- Page Send / Receive
- On-hook dial
- Dedicated headset jack
- Speed calls
- Call hold
- Call transfer



it's about **YOU**

- Conference calls
- Voice mail access – large message waiting lamp
- Last number redial
- Automatic call distribution (ACD) agent and supervisor support
- Customizable center panel
- Wall mountable

Dual-port

Two 10 / 100 Mb switched Ethernet ports – one connects the 5215 IP Phone with an Ethernet wall jack, the other with the user’s PC or other IP network device.

Compression Support

G. 711, G.729

Voice QoS

Supports 802.1p/q for quality of service.

Powering Options

Available with Ethernet AC adapter – accepts standards-based (IEEE 802.3 af) power over the LAN via spare or signal pair.

Environmental Conditions

	Temperature	Humidity
Operational	+4°C – +40°C	34%
Storage	-25°C – +66°C	15%

Regulatory Standards

EMC	CLASS B (FCC-Part 15)
Network	FCC-Part 68 (US), CS-03 (Canada)

System Requirements

- Mitel 3100 Integrated Communications Platform (ICP), Release 4.0
- Mitel 3300 Integrated Communications Platform (ICP), Release 3.3
- Mitel SX-200 IP Node LIGHTWARE 19, Release 3.1
- Mitel SX-200 Integrated Communications Platform (ICP), Release 1.0

5215 IP Phone Specifications

Ports	AC Adapter	Consumption	PROCESSOR		No.	DSPs		Package
			Type	Speed		Speed	Silicon	
2	Output: 48 Vdc 250 mA Input: 110 V 50-60 Hz 220 V 50 Hz	3.3 W	ARM7TDMI	25 MHz	1	50 MHz	0.35µ CMOS	QFP
RAM	ROM	Voice Traffic	Signaling	Ethernet	Size (LXW)	Weight	MTBF Rate	Compression
512 K	256 K	RTP over UDP	MiNET over TCP	IEEE 802.1p/q	7" x 9.25" 17.8 cm x 23.5 cm	2.8 lbs 1.3 kg	10 Years	G.711, G.729

*Not all features are supported across all IP Platforms. Refer to the 3100 ICP data sheet, the 3300 ICP brochure, the SX-200 IP Node data sheet and the SX-200 ICP data sheet for more detailed information.

North America
(613) 592 2122
1 800 648 3579

Europe, Middle-East & Africa
Sales: 0870 9093030
Int: +44 (0) 1291 430 000

Latin America
(613) 592 2122
1 800 648 3579

Asia-Pacific
Tel: +852 2508 9780
Fax: +852 2508 9232

www.mitel.com



THIS DOCUMENT IS PROVIDED TO YOU FOR INFORMATIONAL PURPOSES ONLY. The information furnished in this document, believed by Mitel to be accurate as of the date of its publication, is subject to change without notice. Mitel assumes no responsibility for any errors or omissions in this document and shall have no obligation to you as a result of having made this document available to you or based upon the information it contains.

M MITEL (design) is a registered trademark of Mitel Networks Corporation. All other products and services are the registered trademarks of their respective holders.

© Copyright 2004, Mitel Networks Corporation. All Rights Reserved.

GD 7988 PN 51005782RD-EN