

ClearOne®

CHAT® 70-U | USB with Call Control

Personal Speakerphone

Téléphone Personnel

Persönliche Freisprecheinrichtung

OPTIMIZED FOR

Microsoft® Lync™

Quick Start Guide

Guide de Démarrage Rapide

Anleitung



TABLE OF CONTENTS

CHAT 70-U FEATURES	1
CONNECTING THE CHAT 70-U TO A PC	2
Setup	2
SPECIFICATIONS AND REQUIREMENTS	3
Minimum System Requirements	3
Connections	3
Controls	3
Audio	3
Microphone	3
Environmental	3
Processing	3
Power	3
Mechanical	3
Compliance	3
Part Number	3

CHAT 70-U Features

CHAT 70-U Caractéristiques

CHAT 70-U Funktionen




Connecting the CHAT 70-U to a PC

Connexion de l'CHAT 70-U à votre ordinateur

Schließen Sie das CHAT 70-U an Ihren Computer an

SETUP

Installation



Specifications and Requirements

System Requirements

Windows XP
Windows Vista
Windows 7

Connections

USB Connector
Version 2.0 Compatible
Type: Mini-B Female

Controls

Call Control (Hook)
Volume Up
Volume Down
Microphone Mute

Audio

Speaker Bandwidth:
220 Hz - 14 kHz

Max Output Level:
80 dB SPL @ 1 foot (0.30 meter)

Microphone

Bandwidth: 50 Hz - 7.75 kHz

Environmental

Operating Temperature:
41 - 104° F (5 - 40° C)

Processing

Full Duplex
Acoustic Echo Cancellation (AEC)
Noise Cancellation (NC)
Automatic Level Control (ALC)

Power

USB:
5 VDC @ 500 mA Maximum

Mechanical

Dimensions (W x D x H):
3.8" x 4.1" x 1.8"
(9.7 cm x 10.4 cm x 4.6 cm)

Weight:
0.55 lbs (0.25 kg)

Compliance

RoHS
REACH
FCC Class B Part 15
ICES-003
CE Listed
UL Listed

Part Number

910-159-257 CHAT 70-U

Using the CHAT 70-U with Lync Client

En Utilisant le CHAT 70-U avec Lync Client

Verwendung von CHAT 70-U mit Lync Client

Software updates and product information for the CHAT 70-U are available at:

Mises à jour de logiciels et informations sur les produits pour le CHAT 70-U sont disponibles à:

Software-updates und Produktinformationen für das CHAT 70-U erhalten Sie unter:

<http://www.ClearOne.com/chat70u>

Microsoft Lync Server 2010 information is available at:

**l'information est disponible à:
Informationen sind verfügbar unter:**

<http://www.microsoft.com/en-us/lync/default.aspx>