

# Cisco IP Phone 7800 Series with Multiplatform Phone Firmware

This multiplatform phone firmware enables the 7800 Series to work with third-party call control systems.

## Product Overview

For partners who provide voice and video services to end customers on third-party platforms, Cisco offers specific firmware loads that support these platforms and run on the Cisco® IP Phone 7800 Series. The feature set provided by this firmware is not identical to that of the firmware designed and built for use with Cisco call control systems, but there are many similarities. For clarity, this data sheet focuses only on the features provided on these multiplatform phone firmware loads. For a list of hardware-enabled functions, see the data sheets for the phones listed under the [Cisco IP Phone 7800 Series product information](#).

This multiplatform phone firmware is offered exclusively on phones that are ordered with the SKUs listed in Table 4. Phones ordered as multiplatform phones do not work with Cisco call control. For any questions, reach out to [ipphone-pm-team alias](#).

## Supported Features

Table 1 lists the features supported in the multiplatform phone firmware.

**Table 1.** Supported Features

Feature	Detail
<b>Audio</b>	<ul style="list-style-type: none"> <li>Codecs: G.711 (A-law and <math>\mu</math>-law), G.722.2, G.722, G.729ab, ILBC, iSAC, OPUS</li> <li>DTMF: In-band, out-of-band (RFC 2833), and SIP INFO</li> </ul>
<b>Network</b>	<ul style="list-style-type: none"> <li>MAC address (IEEE 802.3)</li> <li>SIP protocol support (RFC3261 and companion RFCs)</li> <li>IPv4 (RFC 791)</li> <li>DNS: A record (RFC 1706), SRV record (RFC 2782)</li> <li>Dynamic Host Configuration Protocol (DHCP) (RFC 2131)</li> <li>Simple Network Time Protocol (SNTP) (RFC 2030)</li> <li>Network Address Translation (NAT) transversal, serial tunnel (STUN)</li> <li>UDP/TCP</li> <li>Link Layer Discovery Protocol (LLDP)</li> <li>Cisco Discovery Protocol</li> </ul>
<b>Security</b>	<ul style="list-style-type: none"> <li>802.1X authentication</li> <li>Media encryption via Secure Real-Time Transport Protocol (SRTP)</li> <li>Transport Layer Security (TLS)</li> <li>Encrypted configuration files</li> <li>Digest authentication</li> <li>Password login</li> <li>HTTPs secure provisioning</li> </ul>
<b>Applications</b>	<ul style="list-style-type: none"> <li>Cisco XML services interface (XSI)</li> </ul>

Feature	Detail
<b>Call control and audio features</b>	<ul style="list-style-type: none"> <li>• Busy Lamp Field (BLF)<sup>1</sup></li> <li>• Call back on busy</li> <li>• Call blocking – anonymous and selective</li> <li>• Call conferencing – hosted (N-party)<sup>1</sup></li> <li>• Call conferencing – local 3-way</li> <li>• Call forwarding – unconditional, no answer, on busy</li> <li>• Call hold</li> <li>• Call pickup – selective and group<sup>1</sup></li> <li>• Call park and unpark<sup>1</sup></li> <li>• Call transfer – attended or blind</li> <li>• Call waiting</li> <li>• Caller ID name and number and outbound caller ID blocking</li> <li>• Caller ID mapping for incoming calls</li> <li>• Configurable dial/numbering plan support with inter-digit timers – per line</li> <li>• Configurable supplementary services soft keys</li> <li>• Distinctive ringing based on calling and called number</li> <li>• Do not disturb</li> <li>• Extension mobility/hot-desking<sup>1</sup></li> <li>• Group paging<sup>1</sup></li> <li>• Hoteling<sup>1</sup></li> <li>• Intercom<sup>1</sup></li> <li>• Individual volume setting per audio path (headset/handset/speaker)</li> <li>• Multicast paging</li> <li>• Music on hold<sup>1</sup></li> <li>• Outbound caller ID blocking</li> <li>• Visual voice message waiting indicator (VMWI)</li> <li>• Shared/bridge line appearance<sup>1</sup></li> <li>• Supplementary services feature activation codes</li> </ul>
<b>Directory</b>	<ul style="list-style-type: none"> <li>• Local phonebook</li> <li>• XML/LDAP remote directory</li> <li>• Broadsoft directory</li> <li>• Intelligent search</li> <li>• Call history</li> </ul>
<b>Management</b>	<ul style="list-style-type: none"> <li>• Configuration: Browser/phone/auto-provision</li> <li>• Auto-provision via TFTP/HTTP/HTTps for mass deployment</li> <li>• Problem Reporting Tool (PRT)</li> </ul>

## Platform Support

Table 2 lists the platforms supported by the multiplatform phone firmware.

**Table 2.** Supported Platforms

Platforms Supported	Certifications
<b>Asterisk</b>	Interoperability Tested – Release (1.8+)
<b>Broadsoft</b>	Interoperability Tested and Certified – Releases 19sp1, 20sp1, 21sp1
<b>Centile</b>	Interoperability Tested and Certified – Release Istra SP 9.2

## Licensing

All Cisco IP Phone 7800 Series are covered by the Cisco End User License Agreement at <http://www.cisco.com/go/eula>.

<sup>1</sup> Feature requires support by SIP client management server.

## Product Specifications

Table 3 lists the specifications for the multiplatform phone firmware. For more hardware specifications, see the [Cisco IP Phone 7800 Series data sheets](#).

**Table 3.** Specifications

Feature	Details
Protocol support	SIP: all models
Full DN lines supported	7811: 1 line (SIP registration) 7821: 2 lines (SIP registrations) 7841: 4 lines (SIP registrations) 7861: 16 lines (SIP registrations)
Codecs	G.711 a, $\mu$ law G.722 (on headset, handset, and speakerphone; not supported on 7811) G.722.2 (on headset, handset, and speakerphone; not supported on 7811) G.729 a, b, ab ILBC iSAC OPUS

## Ordering Information

Table 4 provides information for ordering the 7800 Series phones with the multiplatform phone firmware.

**Table 4.** Ordering Information

Part #	Product Description
CP-7811-3PCC-K9=	Cisco IP Phone 7811 shipped with multiplatform phone firmware
CP-7821-3PCC-K9=	Cisco IP Phone 7821 shipped with multiplatform phone firmware
CP-7841-3PCC-K9=	Cisco IP Phone 7841 shipped with multiplatform phone firmware
CP-7861-3PCC-K9=	Cisco IP Phone 7861 shipped with multiplatform phone firmware
Part Numbers for Remote Configuration:	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>Available via drop ship orders only. These part numbers are not available from Tier-2 distribution warehouse stocking inventory.</li> </ul>	
CP-7811-3PC-RC-K9=	Cisco IP Phone 7811 shipped with multiplatform phone firmware, for remote configuration
CP-7821-3PC-RC-K9=	Cisco IP Phone 7821 shipped with multiplatform phone firmware, for remote configuration
CP-7841-3PC-RC-K9=	Cisco IP Phone 7841 shipped with multiplatform phone firmware, for remote configuration
CP-7861-3PC-RC-K9=	Cisco IP Phone 7861 shipped with multiplatform phone firmware, for remote configuration
Part Numbers for gift boxes that contain the phone along with the Power Cube and Cord:	
<b>Notes:</b>	
<ul style="list-style-type: none"> <li>Available in May 2017 and in the USA and Canada only.</li> </ul>	
CP-7811-3PW-NA-K9=	Cisco IP Phone 7811 shipped with multiplatform phone firmware, and with a Power Cube and a power cord for North America
CP-7821-3PW-NA-K9=	Cisco IP Phone 7821 shipped with multiplatform phone firmware, and with a Power Cube and a power cord for North America
CP-7841-3PW-NA-K9=	Cisco IP Phone 7841 shipped with multiplatform phone firmware, and with a Power Cube and a power cord for North America
CP-7861-3PW-NA-K9=	Cisco IP Phone 7861 shipped with multiplatform phone firmware, and with a Power Cube and a power cord for North America

---

## Warranty Information

The Cisco IP Phone 7800 Series is covered by the Cisco one-year limited hardware warranty.

## Cisco Capital

### Financing to Help You Achieve Your Objectives

Cisco Capital<sup>®</sup> can help you acquire the technology you need to achieve your objectives and stay competitive. We can help you reduce CapEx. Accelerate your growth. Optimize your investment dollars and ROI. Cisco Capital financing gives you flexibility in acquiring hardware, software, services, and complementary third-party equipment. And there's just one predictable payment. Cisco Capital is available in more than 100 countries. [Learn more.](#)

## Call to Action

For more information about Cisco IP phones, go to <http://www.cisco.com/go/ipphones>.



---

Americas Headquarters  
Cisco Systems, Inc.  
San Jose, CA

Asia Pacific Headquarters  
Cisco Systems (USA) Pte. Ltd.  
Singapore

Europe Headquarters  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)